

Gdansk, 2021-03-03

ANALYSIS REPORT No S/CL/1018/20

Customer	Mels Premium Health Ltd		
	364 Harlington High Street Hayes Middx, UB3 5LF, United Kingdom		
Basis for analysis order number, contract number	Subject of analysis sample matrix		Condition of samples correct / incorrect - according to I-01/PO-03 instruction
Z/CL/1018/20	Dried hemp		Correct
Place of sampling according to the Customer's information	Date of sampling according to the Customer's information	Date of samples' delivery to the laboratory	Analysis completion date
No data	No data	10.11.2020	12.11.2020
Analyses conducted by:		Additional information	
EkotechLAB R&D Laboratory Fiszera 14, 80-231 Gdańsk, Poland		None	

Samples identification:

No.	Sample labeling by Customer	Sample labeling by Laboratory
1.	Hemp pollen 11.2020	CLS 2262/20

Results:

No.	Sample code	Subject of determination	Method*	Result **	Unit
1.	CLS 2262/20	CBD	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	1.20	% (m/m)
2.		CBDA	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	2.90	% (m/m)
3.		delta-9-THC	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.05	% (m/m)
4.		delta-9-THCA	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.04	% (m/m)
5.		CBC	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.09	% (m/m)
6.		CBGA	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.11	% (m/m)
7.		CBG	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ NA	0.02	% (m/m)
8.		CBDV	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.01	% (m/m)
9.		CBN	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.01	% (m/m)
10.		Sum of CBD	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	4.10	% (m/m)
11.		Sum of delta-9-THC	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ A	0.09	% (m/m)
12.		Sum of cannabinoids	PB-CL-1:2019 issue.3 from 26.08.2020/HPLC/ NA	4.43	% (m/m)

* The method No. assigned according to the formula: No. of test procedure / issue / date issued / analytical technique / A - accredited, NA - not accredited, P - performed by the subcontractor


 mgr inż. Aleksandra Sadzińska
 Specjalista Analiz Instrumentalnych
ekotechLAB
 Authorized by MSc. Eng.
 Instrumental Analysis Specialist


 Dr inż. Marek Klein
 Kierownik Laboratorium
ekotechLAB
 ul. Henryka Siemiradzkiego 2A, 80-301 Gdańsk
 tel: +48 58 380 01 50
 NIP: 5842459368; REGON: 221622740
 Approved by - PhD Eng. Marek Klein
 Laboratory Manager

** The measurement uncertainty is expressed at the customer's request, or when it is relevant for the interpretation of the results - as the expanded uncertainty at the probability level of 95% and the coverage factor $k = 2$, the given uncertainty does not include the sampling stage. The laboratory is not responsible for the sampling and transport stage. Without the written consent of the Laboratory, the test report may not be reproduced except in full. The results relate to the tested samples only. The period for submitting a complaint is 14 days from the date of receipt of the report.

THE END OF REPORT